

Provincial Adult Urology Referral Pathway

Referral pathways help referring providers know where to send referrals and what information to include. These guidelines were created, updated, and co-designed with primary care, specialty care and patients.



We value all feedback to improve referral pathway. Please share your comments via [Online Survey](#) or scan the QR code.

Request Urgent Advice

(when patient may need same day intervention and/or diagnostics without hospitalization; not life threatening)

Call **RAAPID** urgent tele-advice:
RAAPID North: 1-800-282-9911
RAAPID South: 1-800-661-1700

Request Emergency Consultation

(when patient needs to be seen immediately)

Call **RAAPID** or send to **Emergency Department via 911** as appropriate.

Includes:

- Acute Scrotal Pain
- Testicular Torsion
- Acute Renal Colic with FEVER
- Genitourinary Trauma
- Genitourinary Tract Foreign Body

Review Clinical Pathway

(for guidance on referral process, if available)

A [clinical pathway](#) may be available to guide care options for your patient's condition:

Provincial

- [Non-Obstructing Kidney Stone Primary Care Pathway](#)
- [Asymptomatic Routine Prostate Specific Antigen \(PSA\) Testing Pathway](#)
- [Hematuria Evaluation Primary Care Pathway](#)
- [Female Urinary Incontinence Primary Care Pathway](#)
- [Renal Mass Primary Care Pathway](#)
- [Provincial Adult Gender-Affirming Care Primary Care Clinical Pathway](#)
- [Provincial Male LUTS Primary Care Clinical Pathway](#)

Edmonton Zone

- [Recurrent Urinary Tract Infections in Females](#)

If you have any questions while using a clinical pathway or if a clinical pathway is not available, please request non-urgent advice.

Request Non-Urgent Advice

(when uncertain whether to submit a referral)

Access [non-urgent specialist advice](#)

By electronic advice (Response within 5 calendar days):

Use **Alberta Netcare eReferral** and submit **eConsult** request for:

- Urology Issue
- Include **Mandatory Investigations** as per pathway.

For more information, go to: [eReferral, Netcare Learning Centre](#)

Request Non-Urgent Referral

(when patient requires non-urgent referral)

Submit a referral as per the process below:

1. Complete a referral letter including the reason for referral. Tip: review the [QuRE Referral/Consult Checklist](#) for high-quality referral guidelines. A form is also available: [Facilitated Access to Specialized Treatment \(FAST\) Adult Urology Referral Form](#).

Edmonton zone: submit referral for the Dianne and Irving Kipnes Urology Centre into eReferral. If you have questions about a referral, please contact 780-407-6600.

2. Attach all mandatory information to the referral.
3. Fax the completed referral to the FAST (Facilitated Access to Specialized Treatment) central access and intake program as listed in the [Program Contacts section](#). Edmonton zone: submit referral into eReferral.

If you have questions about a previously submitted but unassigned referral, call the FAST office at 1-833-553-3278. If you have questions about an assigned referral, please contact the specialist office directly.

<u>Bladder/Incontinence</u>	<u>Kidney/Ureter/Adrenal</u>	<u>Genitourinary Disorders</u>	<u>Genitourinary Disorders</u>	<u>Transgender Care</u>
• Bladder Diverticulum • Bladder Mass • Bladder Stone • Bladder Fistula (Documented) • Hematuria Gross • Hematuria Microscopic (3 or greater rbc/hpf) • Urinary Incontinence • Neurogenic Bladder • Overactive Bladder (OAB) • Urachal Cyst • Urethral Strictures ** • Urinary Retention Acute • Recurrent Urinary Tract Infections (UTI)	• Adrenal Mass • Angiomyolipoma (<4cm) • Angiomyolipoma (>4cm) • Hydronephrosis • Kidney Stone (Acute/Ureteric) • Kidney Stone Non-Obstructive • Renal Cyst • Renal Mass	• Abnormal DRE (New Diagnosis) • Elevated PSA (No Previous Prostate Cancer) • Elevated PSA (Previous Cancer) • Epididymal Cyst • Erectile Dysfunction • Female Voiding Dysfunction • Fistula- Female Urinary Genital Tract • Foreskin Problems ○ Includes Phimosis • Hematospermia • Hydrocele • Hypospadias • Lower Urinary Tract Symptoms (Male LUTS) ○ Includes BPH, Urethral Strictures, Prostatitis, Male Chronic Pelvic Pain • Male Infertility	• Male Sexual Dysfunction ○ Includes Low Testosterone, Hypogonadism, Ejaculatory Dysfunction, Rapid Ejaculation • Penile Mass Cancer Concern • Peyronie’s Disease • Testicular Mass • Testicular Microlithiasis • Testicular Pain Chronic (Non-STD) ○ For STD related pain refer to zonal STD clinic • Undescended Testicle with Negative BHCG and AFP • Urethral Disorder (Female) • Pelvic Organ Prolapse ○ Includes Cystocele • Vasectomy • Vasectomy Reversal • Varicocele • Fistula Anal Region- Refer to General Surgery	• Orchidectomy (Gender Affirming)

	North Zone	Edmonton Zone	Central Zone	Calgary Zone	South Zone
Urgent Advice or Emergency Consultation	RAAPID North Tel 1-800-282-9911 www.ahs.ca/RAAPID	RAAPID North Tel 1-800-282-9911 www.ahs.ca/RAAPID	RAAPID North Tel 1-800-282-9911 RAAPID South Tel 1-800-661-1700 www.ahs.ca/RAAPID	RAAPID South Tel 1-800-661-1700 www.ahs.ca/RAAPID	RAAPID South Tel 1-800-661-1700 www.ahs.ca/RAAPID OR Call surgeon-on-call.
Non-Urgent Advice	Netcare eReferral eConsult Submit online albertanetcare.ca/eReferral.htm	Netcare eReferral eConsult Submit online albertanetcare.ca/eReferral.htm	Central Alberta Urology 403-356-9816 Dr. Stephanus Van Zyl 403-358-7654	Calgary Zone FAST Team Tel 1-833-553-3278 ext. 4 Fax 1-833-627-7023	Lethbridge Urology Surgeons 403-524-1411 Dr. Talal Alphin (Medicine Hat) 403-528-2912
Non-Urgent Referral / Consultation	North Zone FAST Team Tel 1-833-553-3278 ext. 1 Fax 1-833-627-7025	Dianne and Irving Kipnes Urology Centre Tel: 780-407-6600 Netcare eReferral Consult Request Submit online albertanetcare.ca/eReferral.htm	Central Zone FAST Team Tel 1-833-553-3278 ext. 3 Fax 1-833-627-7022	Calgary Zone FAST Team Tel 1-833-553-3278 ext. 4 Fax 1-833-627-7023	South Zone FAST Team Tel 1-833-553-3278 ext. 5 Fax 1-833-627-7024

BLADDER/INCONTINENCE				
Reason for Referral	Access Target	Process	Mandatory Info (Essential investigations & timeframes)	Extra Info (If available)
Bladder Diverticulum		ASK FOR ADVICE • North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: ○ Urology Issue ○ Include Mandatory Investigations as per pathway. • Central: Contact Central Alberta Urology • Calgary: Send referral to Zone FAST Team • South: Contact the local Urologist office directly	< 6 months • Urinalysis	
Bladder Mass	< 2 weeks	• North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral		
Bladder Stone	< 3 months			
Bladder Fistula (Documented)	< 1 month		< 3 months • CT Cystogram	
Hematuria Gross	< 4 weeks	Refer to: <u>CLINICAL PATHWAY: PROVINCIAL HEMATURIA EVALUATION.</u> • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Include in the referral letter if there is a history of smoking and/or pelvic radiation • Creatinine • CT Urogram - with indication of “gross hematuria, urology consult pending.”	Do Not Delay Urology Referral for CT results The referral to urology and for CT should be made concurrently Ultrasound and Urine CYTOLOGY is not indicated and will be performed by urology as required
Hematuria Microscopic (≥3 rbc/hpf)	< 3 months		• Include in the referral letter if there is a history of smoking and/or pelvic radiation < 12 months • Creatinine, urinalysis x 2 (approx. 1 month apart) • Renal and bladder ultrasound ○ If patient has had a CT, an ultrasound is not necessary **Hematuria Microscopic must be greater than or equal to 3 RBC/HPF on at least two urinalysis prior to referral	Refer to: <u>CLINICAL PATHWAY: PROVINCIAL HEMATURIA EVALUATION</u> and follow risk stratification Urine CYTOLOGY is not indicated and will be performed by urology as required

BLADDER/INCONTINENCE				
Reason for Referral	Access Target	Process	Mandatory Info (Essential investigations & timeframes)	Extra Info (If available)
Urinary Incontinence	< 6 months	Refer to CLINICAL PATHWAY: FEMALE URINARY INCONTINENCE . • North/South/Central/Calgary: Send referral to Zone FAST Team • North/Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Pelvic ultrasound (needs to include bladder with PVR) • Referral letter should include description of pelvic exam findings < 3 months • Urinalysis, urine culture, creatinine	
Neurogenic Bladder • Lower urinary tract symptoms and a neurologic condition (i.e. stroke, MS, Parkinsons, spinal cord injury, and spina bifida)	< 6 months	• North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Include known/suspected neurologic condition in the referral letter < 3 months • Creatinine, urinalysis, urine culture • Renal and bladder ultrasound	
Overactive Bladder (OAB)	< 6 months		< 3 months • Creatinine, urinalysis, urine culture • Renal and bladder ultrasound	
Urachal Cyst		ASK FOR ADVICE • North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: ○ Urology Issue ○ Include Mandatory Investigations as per pathway • Central: Contact Central Alberta Urology • Calgary: Send referral to Zone FAST Team • South: Contact the local Urologist office directly	< 3 months • Abdominal ultrasound	
Urethral Strictures (male)		See “ LOWER URINARY TRACT SYMPTOMS (LUTS) ” referral process		
Urinary Retention, Acute	< 2 weeks	• North/Central/Calgary/South: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 2 weeks • Creatinine, urinalysis, urine culture	

BLADDER/INCONTINENCE				
Reason for Referral	Access Target	Process	Mandatory Info (Essential investigations & timeframes)	Extra Info (If available)
Urinary Tract Infections (UTI Recurrent) Definition of recurrent UTI: • 2 UTI's in 6 months, or • 3 UTIs in 12 months.	< 6 months	Refer to CLINICAL PATHWAY: RECURRENT URINARY TRACT INFECTIONS IN FEMALES • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Evidence on urinalysis and cultures of 2 UTIs in 6 months or 3 UTIs in 12 months < 3 months • Creatinine, urinalysis, urine culture • Renal and bladder ultrasound • Include a copy of medications used for treatment	

KIDNEY/URETER/ADRENAL				
Reason for Referral	Access Target	Process	Mandatory Info (Essential investigations & timeframes)	Extra Info (If available)
Adrenal Mass	< 4 cm: < 4 weeks > 4 cm: Urgent case < 2 weeks	- North/Central/Calgary/South: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months - Electrolyte panel (Sodium, Chloride, Potassium and Bicarbonate)-note if using paper requisition please write “electrolyte panel” - Creatinine, random glucose, cortisol, 24-hour urine metanephrines - CT or MRI abdomen	
Angiomyolipoma (<4cm)		ASK FOR ADVICE - North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: - Urology Issue - Include Mandatory Investigations as per pathway. - Central: Contact Central Alberta Urology - Calgary: Send referral to Zone FAST Team - South: Contact the local Urologist office directly		Confirm with contrast enhanced CT/MRI
Angiomyolipoma (>4cm)		- North/Central/Calgary/South: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	Confirm with contrast enhanced CT/MRI	
Hydronephrosis	< 4 weeks	- North/Central/Calgary/South: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months - Creatinine, urinalysis - Renal and bladder ultrasound - If CT, no ultrasound needed	
Kidney Stone (Acute/Ureteric)	< 2 weeks	- North/Calgary/South: Send referral to Zone FAST Team - Central: Call RAAPID to speak with Urologist on call - Edmonton: - For bilateral obstructive stones or obstructive stones in a solitary kidney, call RAAPID to speak to the urologist on call - For all other acute/ureteric kidney stones, send to Dianne and Irving Kipnes Urology Centre via eReferral	< 30 days - Electrolyte panel (Sodium, Chloride, Potassium and Bicarbonate)- note if using paper requisition please write “electrolyte panel” - Calcium, creatinine, urinalysis - Kidney Ureter Bladder (KUB) x-ray and renal colic CT or KUB x-ray and abdominal ultrasound *Must have KUB x-ray - Referrals with ultrasounds only, will not be accepted	**If there is a discrepancy between the ultrasound and KUB x-ray, please consider a CT scan

KIDNEY/URETER/ADRENAL				
Reason for Referral	Access Target	Process	Mandatory Info (Essential investigations & timeframes)	Extra Info (If available)
Kidney Stone Non-Obstructive	< 3 months	Refer to CLINICAL PATHWAY:NON-OBSTRUCTING KIDNEY STONE • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months • Electrolytes (Sodium, Chloride, Potassium and Bicarbonate)- note if using paper requisition please write “electrolyte panel” • Calcium, creatinine, urinalysis • Kidney Ureter Bladder (KUB) x-ray and renal colic CT or KUB x-ray and abdominal ultrasound *Must have KUB x-ray - Referrals with ultrasounds only will not be accepted	**If there is a discrepancy between the ultrasound and KUB x-ray, please consider a CT scan
Renal Cyst (Simple, Asymptomatic)		Refer to CLINICAL PATHWAY: PROVINCIAL RENAL MASS DIAGNOSIS PRIMARY CARE PATHWAY. Simple renal cysts that are asymptomatic (Bosniak score I or II) do not require consultation or further imaging		
Renal Cyst (Complex or symptomatic simple)	< 3 months (Urgent case < 2 weeks)	Refer to CLINICAL PATHWAY: PROVINCIAL RENAL MASS DIAGNOSIS PRIMARY CARE PATHWAY. Complex is considered a Bosniak Category IIF (with symptoms), III or IV • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• If mass originally identified on US: order Renal Mass Protocol CT • If mass originally found on Contrast Enhanced CT Abd/Pelvis: Urology to order further imaging (if required)	Refer to CLINICAL PATHWAY: Provincial Renal Mass Primary Care Pathway (coming soon) If Bosniak Category IIF with no symptoms. Follow Renal Mass Protocol CT/MRI q6-12 months for the first year and then yearly x 5 years. No consultation required.
Renal Mass (suspicious for malignancy)	< 4 weeks	Refer to CLINICAL PATHWAY: PROVINCIAL RENAL MASS DIAGNOSIS PRIMARY CARE PATHWAY. • North/Central/Calgary/South: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• If mass originally identified on US: order Renal Mass Protocol CT • If mass originally found on Contrast Enhanced CT Abd/Pelvis: Urology to order further imaging (if required)	

GENITOURINARY DISORDERS				
Reason for Referral	Access Target	Process	Mandatory Info (Essential investigations & timeframes)	Extra Info (If available)
Abnormal DRE (New Diagnosis)	< 4 weeks (Urgent)	- North/Central/Calgary/South: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months PSA	
Elevated PSA (No Previous Prostate Cancer)	< 4 weeks		< 3 months Urinalysis, urine culture (if urinalysis abnormal), prostate-specific antigen (PSA) x 2 done at least 4 weeks apart	DRE Recommended. Refer to Asymptomatic Routine Prostate Specific Antigen (PSA) Testing Pathway for Routine Asymptomatic PSA testing information.
Elevated PSA (Previous Cancer)	< 4 weeks		< 3 months - Urinalysis, urine culture (if urinalysis abnormal), - prostate specific antigen (PSA)	
Epididymal Cyst Symptomatic > 1 cm Spermatocele	< 6 months		< 6 months Scrotal ultrasound, which must include measured dimensions of the cyst	
Erectile Dysfunction	< 6 months	<i>Refer only if patient has failed 2 different PDE 5 Inhibitors x 5 Consecutive Doses (each) or additional trials could not be completed</i> - North/South/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 6 months AM total testosterone (to be completed within the hours of 0800-1000)	Confirm patient interest in penile injection therapy or surgery prior to referral
Female Voiding Dysfunction (Female LUTS) (persistent symptoms despite 3-6 months of conservative management)	< 6 months	- North/South/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 6 months - Urinalysis, urine culture - Renal and bladder ultrasound with PVR (no x-ray needed)	Include the following note in the exam reason field on the renal and bladder ultrasound requisition: “Please include PVR”
Fistula- Female Urinary Genital Tract	< 3 months	- North/South/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	Include in referral letter if there is a history of pelvic surgery or radiation. These referrals are prioritized by the surgeon. < 3 months CT Cystogram	

GENITOURINARY DISORDERS				
Reason for Referral	Access Target	Process	Mandatory Info (Essential Investigations & Timeframes)	Extra Info (if Available)
Foreskin Problems Includes Phimosis	< 3 months	<i>Patient must have failed a two-month trial of a steroid cream prior to referral.</i> • North/South/Central/Calgary: Send referral to Zone FAST Team. • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral.		
Hemospermia	< 6 months	ASK FOR ADVICE • North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: ○ Urology Issue ○ Include Mandatory Investigations as per pathway. • Central: Contact Central Alberta Urology. • Calgary: Send referral to Zone FAST Team • South: Contact the local Urologist office directly	< 3 months • Urinalysis, urine culture • PSA if between age 40-75 • Abdominal and pelvic ultrasound	
Hydrocele (Must be symptomatic and clinically detectable on exam)	< 6 months	<i>Refer for Symptomatic or Clinically significant findings only.</i> • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months • Scrotal ultrasound, which must include measured dimensions of the hydrocele	
Hypospadias		• North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral		
Lower Urinary Tract Symptoms Male LUTS: Includes BPH, Urethral Strictures, Prostatitis, Male Chronic Pelvic Pain	< 6 months (Urgent case < 2 weeks)	Refer to: <u>CLINICAL PATHWAY: PROVINCIAL MALE LUTS PRIMARY CARE CLINICAL PATHWAY</u> • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 6 months • Urinalysis, Renal and bladder ultrasound BPH: <i>Patient must have failed a one-month trial of tamsulosin (Flomax) prior to referral.</i>	Baseline International Prostate Symptom Score (IPSS) form, post-treatment IPSS.
Male Infertility	< 3 months	• North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 6 months • Semen analysis • FSH • AM total testosterone (to be completed within the hours of 0800-1000) • LH • Prolactin • Estradiol	

GENITOURINARY DISORDERS				
Reason for Referral	Access Target	Process	Mandatory Info (Essential Investigations & Timeframes)	Extra Info (if Available)
Male Sexual Dysfunction Includes Low Testosterone, Hypogonadism, Ejaculatory Dysfunction, Rapid Ejaculation	< 6 months	ASK FOR ADVICE • North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: ○ Urology Issue ○ Include Mandatory Investigations as per pathway. • Central: Contact Central Alberta Urology • Calgary: Send referral to Zone FAST Team • South: Contact the local Urologist office directly	Referrals for low testosterone or hypogonadism require the following: • AM total testosterone (to be completed within the hours of 0800-1000)	
Penile Mass (cutaneous mass) Cancer Concern	< 2 weeks	• North/Calgary/Central/South: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months • CBC, INR • CT Abdomen/pelvis with contrast	If patient is seen in a clinic with biopsy capability (i.e. dermatology), biopsy of suspicious lesions may be performed prior to referral. Referral should not be delayed if biopsy is not available or not appropriate in the referral setting.
Peyronie’s Disease (subcutaneous mass)	< 6 months	• North/Central/Calgary/South: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Patient to bring picture of erection to appointment (within 30 days) < 6 months • AM total testosterone (to be completed within the hours of 0800-1000), fasting glucose, lipids panel	
Testicular Mass	< 1 week	• North/Calgary/South: Send referral to Zone FAST Team • Central: Call RAAPID to speak with Urologist on call • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Scrotal ultrasound ordered	
Testicular Microlithiasis	< 6 months	ASK FOR ADVICE • North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: ○ Urology Issue ○ Include Mandatory Investigations as per pathway. • Central: Contact Central Alberta Urology • Calgary: Send referral to Zone FAST Team • South: Contact the local Urologist office directly	< 6 months • Scrotal ultrasound	
Testicular Pain Chronic (Non-STD) <i>For STD related pain refer to zonal STD clinic</i>	< 6 months		< 6 months • Urinalysis, urine culture • Scrotal ultrasound	

Genitourinary Disorders				
Reason for Referral	Access Target	Process	Mandatory Info (Essential Investigations & Timeframes)	Extra Info (if Available)
Undescended Testicle with Negative BHCG and AFP		North/Central/Calgary/South: - If Urgent - Call RAAPID - If non-urgent, Send referral to Zone FAST Team Edmonton: - If BHCG positive, Urgent Referral: Call Kipnes Referral & Triage Dept - If BHCG negative, use eReferral eConsult		
Urethral Disorder (Female)	< 6 months	- North/South/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months Urinalysis, urine culture	
Pelvic Organ Prolapse (extending beyond the opening of the vagina) Includes Cystocele	< 6 months	- North/South/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	< 3 months Creatinine, urinalysis, urine culture	
Vasectomy	< 6 months	- South: Refer to community provider of your choice - North/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral		
Vasectomy Reversal	< 6 months	- North/South/Central/Calgary: Send referral to Zone FAST Team - Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral		
Varicocele Must be symptomatic and clinically detectable on physical exam	< 6 months	ASK FOR ADVICE - North/Edmonton: Use Alberta Netcare eReferral and submit eConsult request for: - Urology Issue - Include Mandatory Investigations as per pathway. - Central: Contact Central Alberta Urology - Calgary: Send referral to Zone FAST Team - South: Contact the local Urologist office	< 6 months Scrotal ultrasound	

TRANSGENDER CARE				
Reason for Referral	Access Target	Process	Mandatory Info (Essential Investigations & Timeframes)	Extra Info (If Available)
Orchidectomy (Gender Affirming)		Refer to: CLINICAL PATHWAY: Provincial Adult Gender Affirming Care Pathway . • North/South/Central/Calgary: Send referral to Zone FAST Team • Edmonton: Send to Dianne and Irving Kipnes Urology Centre via eReferral	• Diagnosis of gender dysphoria as outlined in the Provincial Adult Gender Affirming Care Pathway.	
OTHER				
Reason for Referral	Access Target	Process	Mandatory Info (Essential Investigations & Timeframes)	Extra Info (If Available)
Fistula Anal Region		Refer to General Surgery See Provincial General Surgery Referral Pathway		

© (2024) AHS. This material is intended for general information only and is provided on an “as is”, “where is” basis. AHS does not make any representation or warranty, express, implied or statutory, as to the accuracy, reliability, completeness, applicability or fitness for a particular purpose of such information. This material is not a substitute for the advice of a qualified health professional. AHS expressly disclaims all liability for the use of these materials, and for any claims, actions, demands or suits arising from such use.