

Routine Immunization Schedule

Age	Vaccine(s) your child/you will get	Diseases your child/you will be protected against
 2 months	• DTaP-IPV-Hib-HB * • Pneumococcal conjugate • Rotavirus	• Diphtheria, tetanus, pertussis (whooping cough), polio, <i>Haemophilus influenzae</i> type b, hepatitis B • Pneumococcal Disease • Rotavirus
 4 months	• DTaP-IPV-Hib-HB * • Pneumococcal conjugate • Meningococcal conjugate (MenconC) • Rotavirus	• Diphtheria, tetanus, pertussis (whooping cough), polio, <i>Haemophilus influenzae</i> type b, hepatitis B • Pneumococcal Disease • Meningococcal Disease • Rotavirus
 6 months	• DTaP-IPV-Hib-HB * • Pneumococcal conjugate (for children at high risk only)	• Diphtheria, tetanus, pertussis (whooping cough), polio, <i>Haemophilus influenzae</i> type b, hepatitis B
 12 months	• MMR-Var • Pneumococcal conjugate • Meningococcal conjugate (MenconC)	• Measles, mumps, rubella, varicella (chickenpox) • Pneumococcal Disease • Meningococcal Disease
 18 months	• DTaP-IPV-Hib • MMR-Var	• Diphtheria, tetanus, pertussis (whooping cough), polio, <i>Haemophilus influenzae</i> type b • Measles, mumps, rubella, varicella (chickenpox)
 4 years	• Tdap-IPV	• Tetanus, diphtheria, pertussis (whooping cough), polio
 Grade 6	• Hepatitis B (2 doses, 6 months apart if not already given in childhood) • HPV (2 or 3[†] doses over 6 months)	• Hepatitis B • Human papillomavirus
 Grade 9	• Tdap • MenC-ACYW	• Tetanus, diphtheria, pertussis (whooping cough) • Meningococcal Disease

* DTaP-IPV-Hib-HB – for children born on or after March 1, 2018. Children born before March 1, 2018, are offered DTaP-IPV-Hib at ages 2, 4 and 6 months and Hepatitis B vaccine in school.

† Children and adults get 2 doses of HPV vaccine if they have a healthy immune system and 3 doses if they have a weakened immune system.

See reverse for more information.

Age	Vaccine(s) your child/you will get	Diseases your child/you will be protected against
 Adult	• Tdap (1 dose for adults who are not immunized for pertussis and 1 booster dose every 10 years; if pregnant, see below) • Hepatitis B (3 doses for unprotected adults born in 1981 or later) • HPV (2 or 3[†] doses for adults up to and including age 26 years who did not get HPV vaccine in school) • MMR for adults born in 1970 or later and no record of vaccine (2 doses) • Varicella (chickenpox) for unprotected adults (2 doses) • Pneumococcal conjugate at 65 years of age or older • Polio (3 doses for people who are not immunized) • RSV (1 dose for adults age 60 years and older who live in continuing care and supportive living facilities or are Indigenous, and adults age 70 years and older)	• Tetanus, diphtheria, pertussis (whooping cough) • Hepatitis B • Human papillomavirus • Measles, mumps, rubella • Varicella (chickenpox) • Pneumococcal Disease • Polio • Respiratory syncytial virus
 Pregnant	• Tdap with every pregnancy	• Tetanus, diphtheria, pertussis (whooping cough)
 Everyone (6 months of age and older)	• Annual influenza (2 doses for children under age 9 years if getting this vaccine for the first time) • COVID-19 for children and adults who are eligible [‡]	• Influenza • COVID-19

[†] Children and adults get 2 doses of HPV vaccine if they have a healthy immune system and 3 doses if they have a weakened immune system.

[‡] Visit ahs.ca/covidvaccine for more information.

Note:

More vaccines may be needed because of health conditions, work, school, living arrangements, household contacts, lifestyle risks, travel, or because a person was not fully immunized in childhood. Check with your healthcare provider, a public health nurse, your workplace health and safety department, or a travel health clinic to find out if you need any other vaccines and if they are free for you.

For more information about immunization



Call Health Link at **811**



Scan the QR code or go to ahs.ca/immunize